



CENTRAL U.P. GAS LIMITED

(CITY GAS PROJECT IN KANPUR, BAREILLY & JHANSI)

BID DOCUMENT FOR RATE CONTRACT FOR THE CS PIPELINE LAYING AND ASSOCIATED WORKS IN BAREILLY GA FOR CITY GAS DISTRIBUTION PROJECT OF M/S. CENTRAL U. P. GAS LIMITED, FOR THE PERIOD OF 02 YEARS

BID DOCUMENT NO : CUGL/C&P/TEN2627/23

THROUGH E-TENDERING MODE

OPEN DOMESTIC COMPETITIVE BIDDING

**TECHNICAL DOCUMENTATION
TECHNICAL, VOL. II OF II, PART-II**

VOID

MAIN TABLE OF CONTENTS

LAYING OF 3 LPE COATED CARBON STEEL PIPELINE IN BAREILLY GA IN THE STATE OF UP					
S.NO.	DESCRIPTION	DOCUMENT / DRAWING No.	REV. No.	PAGES	PAGE No.
II	SECTION A- TECHNICAL (VOLUME IIB OF II)				
31	STANDARD / PROJECT DRAWING				
31.1	TYPICAL TRENCH DETAILS	GGNG-D-20707-002	0	1	319
31.2	TYPICAL ROAD CASED CROSSING (B + C) - TYPE I	GGNG-D-20707-004-A	0	1	320
31.3	TYPICAL ROAD CASED CROSSING (B + C) - TYPE II	GGNG-D-20707-004-B	0	1	321
31.4	TYPICAL MECHANICAL PROTECTION CONCRETE SLAB DETAILS	GGNG-D-20707-007	0	1	322
31.5	TYPICAL UNDERGROUND CABLE CROSSING DETAILS	GGNG-D-20707-008	0	1	323
31.6	TYPICAL OVERHEAD POWER LINE CROSSING DETAILS	GGNG-D-20707-009	0	1	324
31.7	TYPICAL CONCRETE COATING	GGNG-D-20707-010	0	1	325
31.8	TYPICAL RAILWAY CASED CROSSING (B + C) - TYPE I	GGNG-D-20707-012-A	0	1	326
31.9	TYPICAL RAILWAY CASED CROSSING (B + C) - TYPE II	GGNG-D-20707-012-B	0	1	327
31.10	TYPICAL EXISTING PIPE LINE CROSSING	GGNG-D-20707-014	0	1	328
31.11	POLE MARKER WITH FOUNDATION	GGNG-D-20707-053	0	1	329
31.12	PIPING GENERAL ARRANGEMENT DRAWING FOR SV STATION WITHOUT VENTING ARRANGEMENT (LONG STEM EXTENDED ACTUATED VALVES)	G 20749 004	0	2	330
31.13	GENERAL ARRANGEMENT DRAWING FOR FUTURE TAP - OFF POINTS	G 20749 001	0	1	332
31.14	STANDARD SKETCH FOR TRENCH CROSS STEEL AND MDPE PIPE	G 20728 010	0	1	333
31.15	PIPING GENERAL ARRANGEMENT DRAWING FOR CONNECTIVITY TO RO / CNG STATIONS	G 20749 002	0	1	334
31.16	PIPING GENERAL ARRANGEMENT DRAWING FOR 4" SV VALVE CHAMBER WITH VENT AND WITH TAP OFF ARRANGEMENT FOR BAREILLY GA	G 20749 M151	0	1	335
31.17	PIPING GENERAL ARRANGEMENT DRAWING FOR 4" SV VALVE CHAMBER WITH VENT ARRANGEMENT FOR BAREILLY GA	G 20749 M151	0	1	336
31.18	PIPING GENERAL ARRANGEMENT DRAWING FOR 4" TAP OFF CHAMBER ARRANGEMENT FOR BAREILLY GA	G 20749 M151	0	1	337
31.19	PIPING GENERAL ARRANGEMENT DRAWING FOR 6" SV VALVE CHAMBER WITH VENT AND WITH TAP OFF ARRANGEMENT FOR BAREILLY GA	G 20749 M151	0	1	338
31.20	PIPING GENERAL ARRANGEMENT DRAWING FOR 6" SV VALVE CHAMBER WITH VENT ARRANGEMENT FOR BAREILLY GA	G 20749 M151	0	1	339
31.21	PIPING GENERAL ARRANGEMENT DRAWING FOR 6" TAP OFF CHAMBER ARRANGEMENT FOR BAREILLY GA	G 20749 M151	0	1	340
31.22	TYPICAL DETAIL OF FENCING	G 21028 004	0	1	341
31.23	TYPICAL DETAILS OF GATE	G 21028 005	0	1	342
31.24	TYPICAL DETAILS OF PIPE SUPPORT	G 21028 006	0	1	343
31.25	TYPICAL DETAILS OF RCC ROUTE MARKER	G 21028 007	0	1	344

31.26	TYPICAL DETAILS OF BARRICADING	G 21028 009	0	1	345
31.27	TYPICAL DETAILS OF CAUTION BOARD	G 21028 008	0	1	346
31.28	TYPICAL DETAILS FOR 4" SV VALVE CHAMBER WITH VENT & WITH TAP-OFF ARRANGEMENT FOR BAREILLY GA	G 20730 010	A	1	347
31.29	TYPICAL DETAILS FOR 4" SV VALVE CHAMBER WITH VENT ARRANGEMENT FOR BAREILLY GA	G 20730 011	A	1	348
31.30	TYPICAL DETAILS FOR 4" TAP-OFF CHAMBER ARRANGEMENT FOR BAREILLY GA	G 20730 012	A	1	349
31.31	TYPICAL DETAILS FOR 6" SV VALVE CHAMBER WITH VENT & WITH TAP-OFF ARRANGEMENT FOR BAREILLY GA	G 20730 013	A	1	350
31.32	TYPICAL DETAILS FOR 6" SV VALVE CHAMBER WITH VENT ARRANGEMENT FOR BAREILLY GA	G 20730 014	A	1	351
31.33	TYPICAL DETAILS FOR 6" TAP-OFF CHAMBER ARRANGEMENT FOR BAREILLY GA	G 20730 015	A	1	352
31.34	IMPRESSED CURRENT CATHODIC PROTECTION SCHEMATIC	GGNG-E-20712-321	0	1	353
31.35	FABRICATION & INSTALLATION DETAILS OF CuCuSO4 REFERENCE ELECTRODES	GGNG-E-20712-322	0	1	354
31.36	FABRICATION & INSTALLATION DETAILS OF CABLE LAYING (TYPICAL) FOR CATHODIC PROTECTION	GGNG-E-20712-323	0	1	355
31.37	FABRICATION & INSTALLATION DETAILS OF DEEP ANODE GROUND BED	GGNG-E-20712-324	0	1	356
31.38	TEST LEAD POINTS & JUNCTION BOX WITH FOUNDATION DETAILS	GGNG-E-20712-325	0	1	357
31.39	TEST STATION CONNECTION SCHEME (TYPICAL) DETAILS	GGNG-E-20712-326	0	5	358
31.4	FABRICATION & INSTALLATION DETAILS OF CABLE ROUTE MARKER	GGNG-E-20712-327	0	1	363
31.41	TEMPORARY CATHODIC PROTECTION SCHEMATIC	GGNG-E-20712-328	0	1	364
31.42	TYPICAL CATODIC PROTECTION SCHEME FOR CASED CROSSINGS	GGNG-E-20712-329	0	1	365
31.43	INSTALLATION DETAILS OF VERTICAL SHALLOW ANODE BED	GGNG-E-20712-330	0	1	366
31.44	CABLE TO PIPE CONNECTION BY PIN BRAZING	GGNG-E-20712-331	0	1	367
31.45	SPARK GAP ARRESTOR INSTALLATION	GGNG-E-20712-332	0	1	368
31.46	TYPICAL INSTALLATION DETAILS OF SHALLOW HORIZONTAL ANODE BED	GGNG-E-20712-333	0	1	369
31.47	THERMIT WELDINF DETAILS	GGNG-E-20712-334	0	1	370
31.48	CONSTRUCTION DETAILS OF ZINC GROUNDING CELL (20KG)	GGNG-E-20712-335	0	1	371
31.49	TYPICAL INSTALLATION AND CONNECTION DETAILS OF EXTERNAL ER PROBE WITH TEST STATION	GGNG-E-20712-336	0	1	372



TYPE-1

and

TYPE-2

TYPE-3

TYPE-3



Drawn Checked Approved
Validated

TYPICAL ROAD CASED CROSSING (B+C)
TYPE - I
SEPARATE CASING FOR CARRIER AND OF

Siz



Drawing No.

Scale Sheet 01 of 01
NTS
GGNG-D-20707-004-A Rev. 1

[illegible]

Rev.	D M Y	Modifications	Drawn	Checked	Approved	Validated



Rev. D M Y	Modifications	Drawn	Checked	Approved	Validated
SUBJECT	TYPICAL MECHANICAL PROTECTION CONCRETE SLAB DETAILS				


Size	Scale	Sheet	01	of	01	Rev.
A3	NTS					0
Drawing No.	GGNG-D-20707-007					

Rev. D M Y
SUBJECT

Modifications
Drawn Checked Approved Validated

TYPICAL UNDERGROUND
CABLE CROSSING DETAILS

Size



OVERHEAD POWER LINE
CROSSING DETAILS

TYPE-3

0	16.04.21	APPROVED FOR CONSTRUCTION.			KS	MKS	MS	KNS	

SECTION A-A



SUBJECT TYPICAL RAILWAY CAGED CROSSING (B+C)
TYPE-I
SEPARATE CSING FOR CARRIER AND OFC
Size Scale Sheet 01 of 01 Rev.
A3 NTS 1
Drawing No. GGNG-D-20707-012-A
TRACTEBEL Engineering pvt. Ltd.

Rev. D M Y

COMMON CSING - OFC BUNDLED WITH CARRIER (WITHOUT CS CONDUIT)

Size	Scale	Sheet	
A3	NTS	01 of 01	
Drawing No.	GGNG-D-20707-012-B		Rev. 1

TRACTEBEL Engineering pvt. ltd.




TYPICAL EXISTING PIPE LINE CROSSING



WARNING

FIXING DETAILS



SUBJECT

POLE MARKER WITH FOUNDATION

Size	Scale	Sheet	01	of	01
A3	NTS				
Drawing No.					Rev.
					0


GGNG-D-20707-053



5.

NO.

1



NOTES

1. ALL DIMENSIONS ARE IN MM OR LEVELS ARE IN M.
2. DRAWING ARE INDICATED & SUBJECT TO CHANGE DURING DETAIL ENGG.
3. LAYING OF PIPELINE AND STATION PIPING, VENDOR SHALL MAINTAIN SPECIFIED COVER OF PIPELINE.
4. MAINLINE VALVE IS ACTUATED VALVE.
5. ALL UG VALVE AND BURRIED VALVES WHICH WILL BE OPERATED FROM GROUND LEVEL. HENCE MAINLINE & BYPASS LINE VALVE IS LONG STEM EXTENDED VALVES.

LEGENDS

- BALL VALVE
- GLOBE VALVE
- TIE-IN POINT
- CENTER LINE OF PIPE
- CENTER LINE OF PIPE
- NG - NATURAL GAS
- PIPELINE

MAIN LINE	BYPASS LINE	BRANCH CONNECTION	REMARKS
4"	NO BYPASS LINE	-	-
6"	2"	WELDOLET	-
8"	2"	WELDOLET	-
10"	4"	WELDOLET	-
12"	4"	WELDOLET	-
16"	6"	WELDOLET	-

CUSTOMER

CENTRAL U. P. GAS LIMITED

PROJECT

CITY GAS DISTRIBUTION PROJECT

SUBJECT

PIPING GENERAL ARRANGEMENT DRAWING
FOR SV STATION WITH VENTING ARRANGEMENT
(LONG STEM EXTENDED ACTUATED VALVES)

Size









Scale

Sheet

Rev.


DETAIL-A

DETAIL-B



REFERENCE DRAWING

S. NO.	DRAWING TITLE	DRAWING NO.
1	-	-



NOTES

- 1. ALL DIMENSIONS ARE IN MM OR LEVELS ARE IN M.
- 2. DRAWING ARE INDICATED & SUBJECT TO CHANGE DURING DETAIL ENGG.
- 3. LAYING OF PIPELINE AND STATION PIPING, VENDOR SHALL MAINTAIN SPECIFIED COVER OF PIPELINE.
- 4. MAINLINE VALVE IS ACTUATED VALVE.
- 5. ALL UG VALVE AND BURRIED VALVES WHICH WILL BE OPERATED FROM GROUND LEVEL. HENCE MAINLINE & BYPASS LINE VALVE IS LONG STEM EXTENDED VALVES.

LEGENDS

- BALL VALVE
- GLOBE VALVE
- TIE-IN POINT
- CENTER LINE OF PIPE
- CENTER LINE OF PIPE
- NG - NATURAL GAS PIPELINE

MAIN LINE	BYPASS LINE	BRANCH CONNECTION	REMARKS
4"	NO BYPASS LINE	-	-
6"	2"	WELDOLET	-
8"	2"	WELDOLET	-
10"	4"	WELDOLET	-
12"	4"	WELDOLET	-
16"	6"	WELDOLET	-

0	16.04.21	ISSUED FOR APPROVAL.	KS	MKS	KNS
Rev.	D M Y	Modifications	Drawn	Checked	Approved

CUSTOMER
CENTRAL U. P. GAS LIMITED

PROJECT
CITY GAS DISTRIBUTION PROJECT

SUBJECT
PIPING GENERAL ARRANGEMENT DRAWING
FOR SV STATION WITH VENTING ARRANGEMENT
(LONG STEM EXTENDED ACTUATED VALVES)

Size Scale Sheet Rev.




A



B



C



REFERENCE DRAWING

S.
NO.

1 -

DRAWING TITLE

DRAWING NO.

-

FUTURE
TAP-OFF

BRANCH
CONNECTION

0	16.04.21	ISSUED FOR TENDER.	KS	MS	KNS
Rev.	D M Y	Modifications	Drawn	Checked	Approved

CUSTOMER
CENTRAL U. P. GAS LIMITED

PROJECT
CITY GAS DISTRIBUTION PROJECT


SUBJECT
GENERAL ARRANGEMENT DRAWING
FOR FUTURE TAP-OFF POINTS

	A3	NTS	1	of	1	0
	Project No.	Discipline Code	System Code	Serial No.		
TRACTEBEL Engineering pvt. ltd	P-014714	G	20749	001		

N ES

TO 003
E & BRANCH

LEGEND



12 "	REDUCING TEE
12"x6"	REDUCING TEE
12	R.F.
8 "	TEE
8"x6"	REDUCING TEE
8	REDUCING TEE
6"x6"	TEE
6	REDUCING TEE
	TEE



STEEL PIPE LAYING

STEEL PIPE LAYING WITH
OFC DUCT & MDPE PIPE

MDPE PIPE LAYING

STEEL PIPE LAYING WITH OFC DUCT

Rev.	D M Y	Modifications	Drawn By	Checked By	Approved By
CUSTOMER		CENTRAL U. P. GAS LIMITED			
PROJECT		CITY GAS DISTRIBUTION PROJECT			
SUBJECT					

Size	Scale	Sheet	Rev.

OFC PIPE LAYING WITH
MDPE DUCT

REFERENCE DRAWING

S.
NO.

DRAWING TITLE

DRAWING NO.

1 -

-

0	16.04.21	ISSUED FOR TENDER.	KS	MKS	KNS
Rev.	D M Y	Modifications	Drawn	Checked	Approved

CUSTOMER
CENTRAL U. P. GAS LIMITED

PROJECT
CITY GAS DISTRIBUTION PROJECT

SUBJECT
PIPING GENERAL ARRANGEMENT DRAWING
FOR CONNECTIVITY TO RO/ CNG STATIONS

Size

Scale

Sheet


Rev.

A

C

D





REFERENCE DRAWING		
S. NO.	DRAWING TITLE	DRAWING NO.
1	TYPICAL DETAILS FOR 4" SV STATION RCC VALVE CHAMBER	P.014714

NOTES

1. ALL DIMENSIONS ARE IN MM AND LEVELS ARE IN M UNLESS OTHERWISE MENTIONED.
2. PIPELINE COVER OR LEVELS SHALL BE MAINTAINED AS MENTIONED IN TENDER.
3. VALVE CHAMBER PROJECTION ABOVE FGL SHALL BE 150MM-300MM SUITED AS PER SITE CONDITIONS.

LEGENDS

- BV

GV

IG
- BALL VALVE

GLOBE VALVE


INSULATING GASKET

TIE-IN POINT

CENTER LINE OF PIPE
- NG - NATURAL GAS

PIPELINE

Rev.	D.M.Y.	Modifications	Drawn	Checked	Approved	Validated
CLIENT						
CENTRAL U. P. GAS LIMITED						
PROJECT						
CITY GAS DISTRIBUTION PROJECT						
SUBJECT						
PIPING GENERAL ARRANGEMENT DRAWING						
FOR 4" SV VALVE CHAMBER WITH VENT & WITH TAP-OFF ARRANGEMENT						
FOR BAREILLY GA						
Size		Scale	Sheet		Rev.	
A3		1:30	1 of 6		0	



REFERENCE DRAWING

5. NO.	DRAWING TITLE	DRAWING NO.
1	TYPICAL DETAILS FOR 4" SV STATION RCC VALVE CHAMBER	P.014714

NOTES

- ALL DIMENSIONS ARE IN MM AND LEVELS ARE IN M UNLESS OTHERWISE MENTIONED.
- PIPELINE COVER OR LEVELS SHALL BE MAINTAINED AS MENTIONED IN TENDER.
- VALVE CHAMBER PROJECTION ABOVE FGL SHALL BE 150MM-300MM SUITED AS PER SITE CONDITIONS.

LEGENDS

BV	BALL VALVE	NG - NATURAL GAS
GV	GLOBE VALVE	PIPELINE
IG	INSULATING GASKET	
	TIE-IN POINT	
	CENTER LINE OF PIPE	

Rev	D M Y	Modifications	Drawn	Checked	Approved	Validated
CLIENT	CENTRAL U. P. GAS LIMITED					
PROJECT	CITY GAS DISTRIBUTION PROJECT					
SUBJECT	PIPING GENERAL ARRANGEMENT DRAWING FOR 4" SV VALVE CHAMBER WITH VENT ARRANGEMENT ARRANGEMENT FOR BAREILLY GA					
		Size	Scale	Sheet	Rev.	
		A3	1:30	2 of 6		
		Project No.	Discipline Code	System Code	Serial No.	

A


C

2. 2018年12月15日

729

Heavy Duty
Tensile Steel



REFERENCE DRAWING		
Sl. NO.	DRAWING TITLE	DRAWING NO.
1	TYPICAL DETAILS FOR 4" SV STATION RCC VALVE CHAMBER	P.014734

NOTES

1. ALL DIMENSIONS ARE IN MM AND LEVELS ARE IN M UNLESS OTHERWISE MENTIONED.
2. PIPELINE COVER OR LEVELS SHALL BE MAINTAINED AS MENTIONED IN TENDER.
3. VALVE CHAMBER PROJECTION ABOVE FGL SHALL BE 150MM-300MM SUITED AS PER SITE CONDITIONS.

LEGENDS

- BV

GV

IG
- BALL VALVE

GLOBE VALVE

INSULATING GASKET

TIE-IN POINT

CENTER LINE OF PIPE
- NG - NATURAL GAS

PIPELINE

Rev.	DM Y.	Modifications	Drawn	Checked	Approved	Validated
------	-------	---------------	-------	---------	----------	-----------

CLIENT

CITY GAS DISTRIBUTION PROJECT

SUBJECT

PIPING GENERAL ARRANGEMENT DRAWING FOR 4" TAP-OFF CHAMBER ARRANGEMENT FOR BAREILLY GA

Size	Scale	Sheet	Rev.
A3	1:30	3 of 6	0

FOR 6" MAIN LINE

REFERENCE DRAWING

S. NO.	DRAWING TITLE	DRAWING NO.
1	TYPICAL DETAILS FOR 4" SV STATION RCC VALVE CHAMBER	P.014714

NOTES

1. ALL DIMENSIONS ARE IN MM AND LEVELS ARE IN M UNLESS OTHERWISE MENTIONED.
2. PIPELINE COVER OR LEVELS SHALL BE MAINTAINED AS MENTIONED IN TENDER.
3. VALVE CHAMBER PROJECTION ABOVE FGL SHALL BE 150MM-300MM SUITED AS PER SITE CONDITIONS.

LEGENDS

BV	BALL VALVE	NG - NATURAL GAS PIPELINE
GV	GLOBE VALVE	
IG	INSULATING GASKET TIE-IN POINT	
	CENTER LINE OF PIPE	

PI N2 PURGING
IG IG
CONC. RED.
2" x 3/4"
2"
6" PIPE

DETAIL-A
PI

DETAIL-C

N2
PURGE
DETAIL-B

SUMP
300x300x300
DEEP

6" SV VALVE CHAMBER WITH VENT
& WITH TAP-OFF

N2 PURGING
IG
CONC. RED.
2" x 3/4"
2"
4" PIPE

DETAIL-B

2" TO VENT
IG
2"

6" PIPE

DETAIL-C


SUMP
300x300x300
DEEP


SECTION-AA

6" MAIN LINE

Rev.	D M Y	Modifications	Drawn	Checked	Approved	Validated
CLIENT	CENTRAL U. P. GAS LIMITED					
PROJECT	CITY GAS DISTRIBUTION PROJECT					
SUBJECT	PIPING GENERAL ARRANGEMENT DRAWING					
	FOR 6" SV VALVE CHAMBER WITH VENT & WITH TAP-OFF ARRANGEMENT					
	FOR BAREILLY GA					
Size	Scale	Sheet	Rev.			
A3	1:30	4 of 6	0			
Project No.	Discipline Code	System Code	Serial No.			

This document is the property of TRACTEBEL ENGINEERING INDIA, any duplication or transmission to third parties is forbidden without its prior approval.





REFERENCE DRAWING		
5. NO.	DRAWING TITLE	DRAWING NO.
1	TYPICAL DETAILS FOR 4" SV STATION RCC VALVE CHAMBER	P.014714


- NOTES
1. ALL DIMENSIONS ARE IN MM AND LEVELS ARE IN M UNLESS OTHERWISE MENTIONED.
 2. PIPELINE COVER OR LEVELS SHALL BE MAINTAINED AS MENTIONED IN TENDER.
 3. VALVE CHAMBER PROJECTION ABOVE FGL SHALL BE 150MM-300MM SUITED AS PER SITE CONDITIONS.

LEGENDS		
BV	BALL VALVE	NG - NATURAL GAS PIPELINE
GV	GLOBE VALVE	
IG	INSULATING GASKET	
	TIE-IN POINT	
	CENTER LINE OF PIPE	


Rev.	D M Y	Modifications	Drawn	Checked	Approved	Validated
CLIENT CENTRAL U. P. GAS LIMITED						
PROJECT CITY GAS DISTRIBUTION PROJECT						
SUBJECT PIPING GENERAL ARRANGEMENT DRAWING FOR 6" SV VALVE CHAMBER WITH VENT ARRANGEMENT FOR BAREILLY GA						
		Size	Scale	Sheet	Rev.	
		A3	1:30	5 of 6	0	


This document is the property of TRACTEBEL ENGINEERING INDIA, any duplication or transmission to third parties is forbidden without its prior approval.

A



C





REFERENCE DRAWING

5. NO.	DRAWING TITLE	DRAWING NO.
1	TYPICAL DETAILS FOR 4" SV STATION RCC VALVE CHAMBER	P.014714

NOTES

1. ALL DIMENSIONS ARE IN MM AND LEVELS ARE IN M UNLESS OTHERWISE MENTIONED.
2. PIPELINE COVER OR LEVELS SHALL BE MAINTAINED AS MENTIONED IN TENDER.
3. VALVE CHAMBER PROJECTION ABOVE FGL SHALL BE 150MM-300MM SUITED AS PER SITE CONDITIONS.

LEGENDS

BV	BALL VALVE	NG - NATURAL GAS
GV	GLOBE VALVE	PIPELINE
IG	INSULATING GASKET	
	TIE-IN POINT	
	CENTER LINE OF PIPE	

Rev

DM Y

Modifications

Drawn

Checked

Approved

Validated

CLIENT

CENTRAL U. P. GAS LIMITED

PROJECT

CITY GAS DISTRIBUTION PROJECT

SUBJECT

PIPING GENERAL ARRANGEMENT DRAWING
FOR 6" TAP-OFF CHAMBER ARRANGEMENT
FOR BAREILLY GA

Size

Scale

Sheet

Rev.

A3

1:30

6

of 6

Project No.



Discipline Code

System Code

Serial No.

This document is the property of TRACTEBEL ENGINEERING INDIA, any duplication or transmission to third parties is forbidden without its prior approval.

A






@ 500c/s



A
1/2" AS




X	X	X	X	X	X		X	X	X	X	X	X		X	X	X	X	X	X
X	X	X	X	X	X		X	X	X	X	X	X		X	X	X	X	X	X
X	X	X	X	X	X		X	X	X	X	X	X		X	X	X	X	X	X
X	X	X	X	X	X		X	X	X	X	X	X		X	X	X	X	X	X

CENTRAL U. P. GAS LIMITED
CITY GAS DISTRIBUTION PROJECT

	Size	Scale	Sheet	Rev.
	A1	NTS	01 of 01	0

DATE: 10/1/2018



B

B

B

B

A

A

A

A

F.F.L.

F.F.L.

SECTION C-C

CASE - 1 (WITH R.C.C. PAVING)

C

C

CASE - 2 (WITHOUT R.C.C. PAVING)

TYP. BASE PLATE DETAIL

SECTION B-B

SECTION A-A




Rev.	D M Y	Modifications	Drawn By	Checked By	Approved By
CUSTOMER					
PROJECT					
SUBJECT					

CENTRAL U. P. GAS LIMITED
CITY GAS DISTRIBUTION PROJECT

TYPICAL DETAILS OF PIPE SUPPORT



Size	Scale	Sheet	Rev.
A1	NTS	01 of 01	0



CUGL

Rev. D M Y

CUSTOMER

PROJECT

SUBJECT

Modifications

CENTRAL U. P. GAS LIMITED

CITY GAS DISTRIBUTION PROJECT

TYPICAL DETAILS OF RCC ROUTE MARKER

Drawn By

Checked By

Approved By

Size

Scale

Sheet



Rev.

A1

NTS

01 of 01

0



100 (1:4:8)

100 (1:4:8)



CAUTION
BOARDS

CAUTION
BOARDS

SCHEMATIC LAYOUT OF CAUTION BOARDS AND BARRICADDING

Rev. D M Y

CUSTOMER

PROJECT

SUBJECT

Modifications

CENTRAL U. P. GAS LIMITED


CITY GAS DISTRIBUTION PROJECT

TYPICAL DETAIL OF BARRICADING


Drawn By Checked By Approved By

Size Scale Sheet Rev.

A1 NTS 01 of 01 0



0	000000	ISSUED FOR TENDER	0000	0000	00
---	--------	-------------------	------	------	----



ELEVATION A-A

ELEVATION B-B

CAUTION

(TO BE PRINTED ON BOTH SIDE
OF ITEM NO. 01)

B

B
A

A

PLAN VIEW

Rev.	D M Y	Modifications	Drawn By	Checked By	Approved By
CUSTOMER					
PROJECT		CENTRAL U. P. GAS LIMITED			
SUBJECT		CITY GAS DISTRIBUTION PROJECT			
		TYPICAL DETAIL OF CAUTION BOARD			
Size	Scale	Sheet	Rev.		
A1	NTS	01 of 01	0		

06 07 08 09



SCALE 1:1000



SCALE 1:1000

SCALE 1:1000

SCALE 1:1000



A

A

DETAIL OF HOOK

JOINTING DETAIL OF PRECAST
COVER SLAB

D

C

D

VALVE PIT BOTTOM PLAN

C

LOCKING ARRANGEMENT OF
PRECAST COVER SLAB

SECTION C-C

SECTION A-A

SECTION B-B

INSERT PLATE IP1

SECTION IP-IP

TYP. REINF. DETAIL
FOR SUMP

PLAN OF PRECAST COVER SLAB
(FOR VEHICLE MOVING AREA)

ISSUED FOR TENDER


Rev.	D M Y	Modifications	Drawn	Checked	Approved	Validated
CLIENT		CENTRAL U. P. GAS LIMITED				
PROJECT		CITY GAS DISTRIBUTION PROJECT				
SUBJECT		TYPICAL DETAILS FOR 4" SV VALVE CHAMBER WITH VENT & WITH TAP-OFF ARRANGEMENT FOR BAREILLY GA				

DETAIL-A

DSECTION D-D

Size	Scale	Sheet	of	Rev
A1	1:50	01	06	A
Project No.		Discipline Code	System Code	Serial No.
P.014714		G	20730	010

1831"



(SCALE 1/10)



11281502/c



(SCALE 1/10)



FOR 4" SV VALVE CHAMBER WITH VENT
& WITH TAP-OFF

A

A

DETAIL OF HOOK

JOINTING DETAIL OF PRECAST
COVER SLAB

D

C

D

VALVE PIT BOTTOM PLAN

C

LOCKING ARRANGEMENT OF
PRECAST COVER SLAB

SECTION C-C

SECTION A-A

SECTION B-B

INSERT PLATE IP1

SECTION IP-IP

TYP. REINF. DETAIL
FOR SUMP

PLAN OF PRECAST COVER SLAB
(FOR VEHICLE MOVING AREA)

ISSUED FOR TENDER

Rev.	D	M	Y	Modifications	Drawn	Checked	Approved	Validated
CLIENT				CENTRAL U. P. GAS LIMITED				
PROJECT				CITY GAS DISTRIBUTION PROJECT				
SUBJECT				TYPICAL DETAILS FOR 4" SV VALVE CHAMBER WITH VENT ARRANGEMENT FOR BAREILLY GA				

DETAIL-A

DSECTION D-D



(SCALE 1:10)



(SCALE 1:10)

(SCALE 1:10)



4" TAP-OFF CHAMBER

A

A

C

C

C

VALVE PIT BOTTOM PLAN

LOCKING ARRANGEMENT OF PRECAST COVER SLAB

DETAIL OF HOOK

JOINTING DETAIL OF PRECAST COVER SLAB

SECTION A-A

SECTION B-B

PLAN OF PRECAST COVER SLAB
(FOR VEHICLE MOVING AREA)

TYP. REINF. DETAIL
FOR SUMP

SECTION C-C

ISSUED FOR TENDER

Rev. D M Y
CLIENT

PROJECT

SUBJECT

Modifications

CENTRAL U. P. GAS LIMITED

CITY GAS DISTRIBUTION PROJECT

TYPICAL DETAILS FOR 4"
TAP-OFF CHAMBER ARRANGEMENT
FOR BAREILLY GA

Drawn _____ Checked _____ Approved _____ Validated _____



A

A

DETAIL OF HOOK

JOINTING DETAIL OF PRECAST
COVER SLAB

D

C

D

VALVE PIT BOTTOM PLAN

C

LOCKING ARRANGEMENT OF
PRECAST COVER SLAB

SECTION C-C

SECTION A-A

SECTION B-B

INSERT PLATE IP1

SECTION IP-IP

TYP. REINF. DETAIL
FOR SUMP

PLAN OF PRECAST COVER SLAB
(FOR VEHICLE MOVING AREA)


ISSUED FOR TENDER

Rev.	D M Y	Modifications	Drawn	Checked	Approved	Validated
CLIENT		CENTRAL U. P. GAS LIMITED				
PROJECT		CITY GAS DISTRIBUTION PROJECT				
SUBJECT		TYPICAL DETAILS FOR 6" SV VALVE CHAMBER WITH VENT & WITH TAP-OFF ARRANGEMENT FOR BAREILLY GA				

DETAIL-A

DSECTION D-D

1831"



200 250



(SCALE 1:10)



(SCALE 1:10)

11281502/c

(SCALE 1:10)



FOR 6" SV VALVE CHAMBER WITH VENT
& WITH TAP-OFF

A

A

DETAIL OF HOOK

JOINTING DETAIL OF PRECAST
COVER SLAB

D

C

D

VALVE PIT BOTTOM PLAN

C

LOCKING ARRANGEMENT OF
PRECAST COVER SLAB

SECTION C-C

SECTION A-A

SECTION B-B

INSERT PLATE IP1

SECTION IP-IP

TYP. REINF. DETAIL
FOR SUMP


PLAN OF PRECAST COVER SLAB
(FOR VEHICLE MOVING AREA)

ISSUED FOR TENDER

Rev.	D M Y	Modifications	Drawn	Checked	Approved	Validated
CLIENT		CENTRAL U. P. GAS LIMITED				
PROJECT		CITY GAS DISTRIBUTION PROJECT				
SUBJECT		TYPICAL DETAILS FOR 6" SV VALVE CHAMBER WITH VENT ARRANGEMENT FOR BAREILLY GA				

DETAIL-A

DSECTION D-D



(SCALE 1:10)

(SCALE 1:10)

(SCALE 1:10)



(SCALE 1:10)

(SCALE 1:10)

Y12@150C/E



4" TAP-OFF CHAMBER

A

A

C

C

VALVE PIT BOTTOM PLAN

LOCKING ARRANGEMENT OF PRECAST COVER SLAB

DETAIL OF HOOK

JOINTING DETAIL OF PRECAST COVER SLAB



SECTION A-A

SECTION B-B


PLAN OF PRECAST COVER SLAB
(FOR VEHICLE MOVING AREA)

TYP. REINF. DETAIL
FOR SUMP

SECTION C-C

ISSUED FOR TENDER

Rev.	D M Y	Modifications	Drawn	Checked	Approved	Validated
CLIENT	CENTRAL U. P. GAS LIMITED					
PROJECT	CITY GAS DISTRIBUTION PROJECT					
SUBJECT	TYPICAL DETAILS FOR 6" TAP-OFF CHAMBER ARRANGEMENT FOR BAREILLY GA					



DOI: 10.1002/ajb.10026



11

12

13

14

15

16

17


BILL OF MATERIAL

At Uv:

18 19 20 21



22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100



[illegible]



|| - 600 - - - 600 357 - - -

|

REVISIONS



E
C


TYPE-A



TYPE-A+I



TYPE-E



||
||

TYPE A : FOR WORK ONLY
TYPE A+I : FOR WORK ONLY

PIN BRAZING



1.2.2.2.2.2
1.2.2.2.2.2








A

B

C

D

E



(FOR ON LIMIT M
D MAINLINE M ON

LE IICH
ED
R ON
U N
ED
ED

1 IN
2 DO
3 CHANGE/REVISE THE
CP
4 BE ON THE

0	05.10.16	APPROVED	RKS	KS	PR	SKH
Rev.	D. M. Y.		Drawn			

H



27 15



STATION		
CURRENT	RELATIVE	UNIT



SL	LF	GF	LY	CHLCP	L
50%	100%	100%	100%	100%	100%

[illegible]

DATE	EX	2017	TIME	DATE	TIME
2017-05-15	10:00	10:00	10:00	10:00	10:00

14	16	17	18	19	20
III	III	III	III	III	III



[illegible]

4SL	115	50	5	74	10	20
	15	5	10	10	10	10
	10	10	10	10	10	10

4. UV:

张 弘 中

© 2004 Blackwell Publishing Ltd, *Journal of Internal Medicine* 255: 103–110





Terminal	Tacton	Multiple	Fielding	Typ	Dir	Vol
----------	--------	----------	----------	-----	-----	-----

[illegible][illegible]

TABLE I
Chemical composition of the feed ingredients

	LC	AS	GVA	ES
AN (%)	0.6	0.7	0.8	0.9
VOL (%)	0.1	0.1	0.1	0.1
CELLULOSE (%)	0.1	0.1	0.1	0.1

4+	UV:	PK:	Δ:	ΔF:
----	-----	-----	----	-----



BILL OF MATERIAL		
SL NO.	DESCRIPTION	QTY
2	NUTS M6	2Nos.
4	WAS	4Nos.
5	WAS	5Nos.
6	WAS	6Nos.
7	WAS	7Nos.
8	WAS	8Nos.
9	WAS	9Nos.
10	WAS	10Nos.
11	WAS	11Nos.
12	WAS	12Nos.
13	WAS	13Nos.
14	WAS	14Nos.
15	WAS	15Nos.
16	WAS	16Nos.
17	WAS	17Nos.
18	WAS	18Nos.
19	WAS	19Nos.
20	WAS	20Nos.
21	WAS	21Nos.
22	WAS	22Nos.
23	WAS	23Nos.
24	WAS	24Nos.
25	WAS	25Nos.
26	WAS	26Nos.
27	WAS	27Nos.
28	WAS	28Nos.
29	WAS	29Nos.
30	WAS	30Nos.
31	WAS	31Nos.
32	WAS	32Nos.
33	WAS	33Nos.
34	WAS	34Nos.
35	WAS	35Nos.
36	WAS	36Nos.
37	WAS	37Nos.
38	WAS	38Nos.
39	WAS	39Nos.
40	WAS	40Nos.
41	WAS	41Nos.
42	WAS	42Nos.
43	WAS	43Nos.
44	WAS	44Nos.
45	WAS	45Nos.
46	WAS	46Nos.
47	WAS	47Nos.
48	WAS	48Nos.
49	WAS	49Nos.
50	WAS	50Nos.
51	WAS	51Nos.
52	WAS	52Nos.
53	WAS	53Nos.
54	WAS	54Nos.
55	WAS	55Nos.
56	WAS	56Nos.
57	WAS	57Nos.
58	WAS	58Nos.
59	WAS	59Nos.
60	WAS	60Nos.
61	WAS	61Nos.
62	WAS	62Nos.
63	WAS	63Nos.
64	WAS	64Nos.
65	WAS	65Nos.
66	WAS	66Nos.
67	WAS	67Nos.
68	WAS	68Nos.
69	WAS	69Nos.
70	WAS	70Nos.
71	WAS	71Nos.
72	WAS	72Nos.
73	WAS	73Nos.
74	WAS	74Nos.
75	WAS	75Nos.
76	WAS	76Nos.
77	WAS	77Nos.
78	WAS	78Nos.
79	WAS	79Nos.
80	WAS	80Nos.
81	WAS	81Nos.
82	WAS	82Nos.
83	WAS	83Nos.
84	WAS	84Nos.
85	WAS	85Nos.
86	WAS	86Nos.
87	WAS	87Nos.
88	WAS	88Nos.
89	WAS	89Nos.
90	WAS	90Nos.
91	WAS	91Nos.
92	WAS	92Nos.
93	WAS	93Nos.
94	WAS	94Nos.
95	WAS	95Nos.
96	WAS	96Nos.
97	WAS	97Nos.
98	WAS	98Nos.
99	WAS	99Nos.
100	WAS	100Nos.

- (I) GYPSUM - 75%
- (II) BLENKITE - 20%
- (I) SODIUM SULPHATE - 5%
- (4) ANODE UTILIZATION FACTOR - 45%



V ANGLE



At 0.01

0.01 0.01



PLAN VIEW

SECTION C-C

SECTION A-A

DOWN VIEW

VIEW

GRADE

CASING PIPE (COA-HD)

COA-HD CARRIER PIPE

C

MIN. 18"

SACRIFICIAL ANODES (PRE-PAKCEL)


4x 1/2"

4x 1/2" 4x 1/2" 4x 1/2"




2008-01-01 10:00:00

2008-01-01 10:00:00



U

U



42 02 42 42 42



U




A

C

D

E



TE

1. DIM SIONS E IN MM UN SE SP IFI .
2. DIM SIONS ON N
3. THIS D NG R IN R ON ON

S. .	DE I TI	.
1	TINN mm THK AT ONE	1
2	TINN COPP BUS BAR mm X 3mm THK 'L' S E B D AT C FOR TOTAL mm TO BE DIVD IN TWO PART BOTH END WILL HAVE M12 HO	1
3	N 10 SIZE B NUT , WASH N NUT ARE P DEC EACH S K GAP ARR R.	2

0	05.10.16	PR D	R		
	D M Y				

I STALLATI

01

0



100

100

100

100

100

15

100

100

100

100

100

100

100

100

100

100

100

100





DISC

PIPELINE



64 UV:

64

64

64



64

64

64


EPOXY FILLING

A ←

ZINC ANODE

DETAIL-X

1-23-2024 03:25 PM



E S O S R
 S S AIC LEAS C C D
 DRAW C S LC LOR S
 LEV C R C S LAIC DRAW C
 E S L C R LC D C C
 LACOR R
 S S C F S E S C E C
 C C C C C C C C C C
 C R R R C C

