



CORRIGENDUM #04
Dated: 22.11.2022



TENDER FOR
SUPPLY OF 3LPE COATED LINE PIPE FOR CITY GAS DISTRIBUTION PROJECT AT KANPUR, UNNAO, BAREILLY & JHANSI GA
TENDER NO. CUGL/VCS/ PRC/2022/02
TENDER ID : 54229



| Sl. No. | Clause Name | Clause No./Page No. | Description | Amendment/ Addition/ Modification/ Deletion | Modified Clause Details | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------|---|---|---|--|---|------------------|---|--|--|--|--|----------------|-----------------------|---|---|-------|-------|-------|---|---|-------|-------|------|--------------|---|---------|-------------|---|--|--|--------|---|---|-------|---|---|-------|
| COMMERCIAL | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | IFB | Clause 4.1, Page No, 6 of 90 (Commercial Vol. I of II) | <div>Delivery Schedule:</div> <table><tr><th>Sl. No.</th><th>Description</th><th>Quantity (meter)</th><th>Delivery Period for 1st lot - Within 20 weeks on FOT Store / Site basis in Kanpur, Unnao, Bareilly & Jhansi cities from date of LOI</th><th>Delivery Period for subsequent lots – Within 20 weeks on FOT Store / Site basis in Kanpur, Unnao, Bareilly & Jhansi cities from date of intimation from CUGL</th></tr><tr><th></th><th></th><th></th><th>1st Lot (Qty.)</th><th>Subsequent Lot (Qty.)</th></tr><tr><td>1</td><td>Engineering, Manufacture, Inspection, Factory Testing, Supply, Transportation, Unloading and stacking of CS Line Pipes conforming to API 5L grade X-42 PSL-2, HFW/Seamless with 3LPE Coating, 4" x 6.4 mm thick</td><td>35000</td><td>20000</td><td>15000</td></tr><tr><td>2</td><td>Engineering, Manufacture, Inspection, Factory Testing, Supply, Transportation, Unloading and stacking of CS Line Pipes conforming to API 5L grade X-42 PSL-2, HFW/Seamless with 3LPE Coating, 6" x 6.4 mm thick</td><td>15000</td><td>10000</td><td>5000</td></tr></table> | Sl. No. | Description | Quantity (meter) | Delivery Period for 1 st lot - Within 20 weeks on FOT Store / Site basis in Kanpur, Unnao, Bareilly & Jhansi cities from date of LOI | Delivery Period for subsequent lots – Within 20 weeks on FOT Store / Site basis in Kanpur, Unnao, Bareilly & Jhansi cities from date of intimation from CUGL | | | | 1st Lot (Qty.) | Subsequent Lot (Qty.) | 1 | Engineering, Manufacture, Inspection, Factory Testing, Supply, Transportation, Unloading and stacking of CS Line Pipes conforming to API 5L grade X-42 PSL-2, HFW/Seamless with 3LPE Coating, 4" x 6.4 mm thick | 35000 | 20000 | 15000 | 2 | Engineering, Manufacture, Inspection, Factory Testing, Supply, Transportation, Unloading and stacking of CS Line Pipes conforming to API 5L grade X-42 PSL-2, HFW/Seamless with 3LPE Coating, 6" x 6.4 mm thick | 15000 | 10000 | 5000 | Modification | <div>Delivery Schedule shall be read as:</div> <table><tr><th>Sl. No.</th><th>Description</th><th>Delivery Period shall be complete in Single lot - Within 20 weeks on FOT Store / Site basis in Kanpur, Unnao, Bareilly & Jhansi cities from date of LOI</th></tr><tr><th></th><th></th><th>(Qty.)</th></tr><tr><td>1</td><td>Engineering, Manufacture, Inspection, Factory Testing, Supply, Transportation, Unloading and stacking of CS Line Pipes conforming to API 5L grade X-42 PSL-2, HFW/Seamless with 3LPE Coating, 4" x 6.4 mm thick</td><td>35000</td></tr><tr><td>2</td><td>Engineering, Manufacture, Inspection, Factory Testing, Supply, Transportation, Unloading and stacking of CS Line Pipes conforming to API 5L grade X-42 PSL-2, HFW/Seamless with 3LPE Coating, 6" x 6.4 mm thick</td><td>15000</td></tr></table> | Sl. No. | Description | Delivery Period shall be complete in Single lot - Within 20 weeks on FOT Store / Site basis in Kanpur, Unnao, Bareilly & Jhansi cities from date of LOI | | | (Qty.) | 1 | Engineering, Manufacture, Inspection, Factory Testing, Supply, Transportation, Unloading and stacking of CS Line Pipes conforming to API 5L grade X-42 PSL-2, HFW/Seamless with 3LPE Coating, 4" x 6.4 mm thick | 35000 | 2 | Engineering, Manufacture, Inspection, Factory Testing, Supply, Transportation, Unloading and stacking of CS Line Pipes conforming to API 5L grade X-42 PSL-2, HFW/Seamless with 3LPE Coating, 6" x 6.4 mm thick | 15000 |
| Sl. No. | Description | Quantity (meter) | Delivery Period for 1 st lot - Within 20 weeks on FOT Store / Site basis in Kanpur, Unnao, Bareilly & Jhansi cities from date of LOI | Delivery Period for subsequent lots – Within 20 weeks on FOT Store / Site basis in Kanpur, Unnao, Bareilly & Jhansi cities from date of intimation from CUGL | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | 1st Lot (Qty.) | Subsequent Lot (Qty.) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | Engineering, Manufacture, Inspection, Factory Testing, Supply, Transportation, Unloading and stacking of CS Line Pipes conforming to API 5L grade X-42 PSL-2, HFW/Seamless with 3LPE Coating, 4" x 6.4 mm thick | 35000 | 20000 | 15000 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | Engineering, Manufacture, Inspection, Factory Testing, Supply, Transportation, Unloading and stacking of CS Line Pipes conforming to API 5L grade X-42 PSL-2, HFW/Seamless with 3LPE Coating, 6" x 6.4 mm thick | 15000 | 10000 | 5000 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sl. No. | Description | Delivery Period shall be complete in Single lot - Within 20 weeks on FOT Store / Site basis in Kanpur, Unnao, Bareilly & Jhansi cities from date of LOI | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | (Qty.) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | Engineering, Manufacture, Inspection, Factory Testing, Supply, Transportation, Unloading and stacking of CS Line Pipes conforming to API 5L grade X-42 PSL-2, HFW/Seamless with 3LPE Coating, 4" x 6.4 mm thick | 35000 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | Engineering, Manufacture, Inspection, Factory Testing, Supply, Transportation, Unloading and stacking of CS Line Pipes conforming to API 5L grade X-42 PSL-2, HFW/Seamless with 3LPE Coating, 6" x 6.4 mm thick | 15000 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | IFB | Clause 8.1.4, Note (i) Page No, 10 of 90 (Commercial Vol. I of II) | Bidder must quote for complete quantity of both sizes and scope of work. Bid submitted for part scope shall be considered as non-responsive and liable to be rejected. | Modification | Bidder may quote either for any single item (item no.1 or item no. 2) or both (item 1 & 2 both) the item as per Revised SOR (Rev.1). | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | ITB | Cl ause 15.2.1, Page No, 32 of 90 (Commercial Vol. I of II) | Evaluation: • Price bid shall be evaluated on totality basis to arrive at the lowest evaluated cost to owner | Modification | Evaluation shall be read as: • Price bid shall be evaluated on Item wise basis to arrive at the lowest evaluated cost to owner | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | ITB | Cl ause 18.2, Page No, 34 of 90 (Commercial Vol. I of II) | AWARD CRITERIA: Prices shall be evaluated on totality basis for supply of 3LPE coated CS line pipes to arrive at the lowest evaluated cost to Owner and order shall be awarded to lowest bidder. | Modification | AWARD CRITERIA: Prices shall be evaluated on Item wise basis for supply of 3LPE coated CS line pipes to arrive at the lowest evaluated cost to Owner and order shall be awarded to lowest bidder. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5 | SOR | Sec-VI, Page No, 90 of 90 (Commercial Vol. I of II) | SOR | Modification | Bidder to quote in Revised SOR (Rev.1) else bid shall be liable for rejection. Bidder may quote for any single item or both the items for full quantities of quoted item/items. If bidder quotes for any single item, bidder shall quote as ZERO (0) for other non quoted item and bid shall be evaluated on signle/ both quoted item basis as per SOR. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Note: This Corrigendum shall form an integral part of the bidding document and shall be signed/stamped and submitted along with the bid. All other terms and conditions of tender documents shall remain un-changed.



| | | |
|--|---|---|
|  ENERGISING QUALITY | SCHEDULE OF RATE (SOR-Rev.1) FOR SUPPLY OF 3LPE COATED CS PIPE FOR CITY GAS DISTRIBUTION PROJECT AT KANPUR, UNNAO, BAREILLY & JHANSI GA's TENDER ID. 54229 TENDER NO. CUGL/VCS/PRC/2022/02 |  Central U.P. Gas Limited |
|--|---|---|

Following is the format of SOR for Reference.

The bidders are supposed to fill in the details of the SOR on the e-tendering portal in the prescribed format

| NAME OF BIDDER:- | | | | | | | | | | | | | | | |
|------------------|-------------------|-----------|-------|------------|--------------|--------------------------------------|--------------------|---|---|--|------------------------|---|------------------------|--|---|
| Item No. | Pipe Size (Inch.) | W.T. (mm) | Grade | Std./ Code | Type of Pipe | Type of Line Pipes Quoted (ERW/SMLS) | Total Qty. (Mtrs.) | Ex-works price quoted by the bidder (including packing & forwarding, but excluding Inland Transportation & GST to Delivery Location) including cost of Inspection by Third Party Agency, etc. (wherever applicable) | Inland transportation up to Delivery location including transit insurance, unloading & stacking and other costs incidental to delivery of goods Description of Item and excluding GST | GST (CGST & SGST / UTGST or IGST) on the finished goods i.e. on Column (4) excluding inland transportation | | GST on Inland transportation i.e. on Column (5) | | Unit FOT site price inclusive all taxes & duties, inland transportation, transit insurance, unloading and stacking at site | Total FOT site price inclusive all taxes & duties, inland transportation, transit insurance, unloading and stacking at site |
| | | | | | | | | (INR per meter) | Amount (INR) | % | Amount (INR per meter) | % | Amount (INR per meter) | (INR per meter) | (INR) |
| (1) | (2) | | | | | | (3) | (4) | (5) | (6A) | (6B) | (7A) | (7B) | (8) = (4) + (5) + (6B) + (7B) | (9) = (8) x (3) |

The scope covers engineering, manufacture, inspection, factory testing and supply, transportation, unloading and stacking of External Coated Carbon Steel Pipes in accordance with the requirements of this tender.

| Item | 3 LPE Coated CS Pipe | | | | | | | |
|-------------|----------------------|-----|-----|-------|--------|-----------|--------|---|
| 1 | 4 | 6.4 | X42 | API5L | Coated | HFW/ SMLS | 35000 | To be quoted on CUGL's e-tender portal. |
| 2 | 6 | 6.4 | X42 | API5L | Coated | HFW/ SMLS | 15,000 | To be quoted on CUGL's e-tender portal. |
| GRAND TOTAL | | | | | | | | 0.00 |

- Notes:**
- Bidder may quote for any single item or both the items for full quantities of quoted item/items. If bidder quotes for any single item, bidder shall quote as **ZERO (0)** for other non quoted item and bid shall be evaluated on single/ both quoted item basis as per SOR.
 - Quoted prices shall be inclusive of all other testing & inspection charges as required in Job Specification.
 - Prices quoted at column 9 are all inclusive of applicable taxes, duties, freight, transit insurance, unloading, Third Party Inspection Charges and other incidental charges. Purchaser shall not be liable for any extra payment against the scope defined in this tender.
 - Bidder shall quote prices in the given format of Schedule of Rates and shall not modify the format in any form.
 - In case of discrepancy between unit price and total, the unit price shall prevail.
 - Bidder to clearly indicate 'Quoted' / 'Not Quoted' against each Sr. No. in the price column in the un-priced Schedule of Rates and submit the same in Un-priced part of the bid.

| | |
|---------------|--|
| Place: | Authorized signatory of Bidder: |
| Date: | Seal of Bidder: |