

<div><div>TRACTEBEL</div><div>ENGIE</div></div>		CORRIGENDUM No. 3  SUPPLY OF 3LPE COATED CARBON STEEL LINE PIPE FOR CUGL GA'S IN KANPUR, UNNAO, BARELLY AND JHANSI IN THE STATE OF UTTAR PRADESH (TENDER NO. P.014714 G 11031 R004)			Date: 19.02.2021
					Tender Document No. P.014714 G 11031 R002
					Project: CGD Expansion Project
					Owner: Central UP Gas Ltd
Sr. No.	Description	Tender Page No.	Clause/ Para/ Section	Amendment/Addition/Modification/Deletion	
Volume I of II					
1	Brief scope of work	5 of 78	3.1 of IFB	Modification	<p>The Scope includes Manufacture, Inspection, Testing, Supply &amp; Transportation including Insurance, custom clearance if applicable, Unloading &amp; Stacking of CS Line Pipes confirming to API 5 L Grade X-42, PSL -2, ERW/Seamless with 3LPE Coating – 6" - 11000 meters and 4" - 35000 meters meeting other technical requirements as specified in bid document including preparation and submission of documents (as per MR), getting approvals from Purchaser/ Consultant, Procurement of raw materials, Manufacturing, Testing &amp; Inspection , Packing &amp; Forwarding, Transportation, Unloading and Stacking at CUGL Site / store basis at different locations in Kanpur, Unnao, Bareilly &amp; Jhansi cities in the State of UP as per the tender terms &amp; conditions.</p> <p>Note: 1. Bidder must quote for complete quantity of both sizes and scope of work. Bid submitted for part scope shall be considered as non-responsive and liable to be rejected. 2. The quantities mentioned above are indicative and are for evaluation purpose only. CUGL reserves the right to change the quantity of any or all items before issue of order. 3. Quantity tolerance will be plus zero &amp; minus one length for completing the quantities. Payment will be made for actual quantities supplied. Payment for extra quantities beyond tender quantities will not be made by CUGL.</p>
2	Type and Duration of Contract	5 of 78	4.2 of IFB	Modification	<p>Please read the clause as,</p> <p>The duration of contract shall be one (01) year from the date of issuance of LOA/NOTIFICATION OF AWARD.</p>

# CORRIGENDUM No. 3

**SUPPLY OF 3LPE COATED CARBON STEEL LINE PIPE FOR CUGL GA'S IN KANPUR, UNNAO, BAREILLY AND JHANSI IN THE STATE OF UTTAR PRADESH  
(TENDER NO. P.014714 G 11031 R004)**

Date: 19.02.2021

Tender Document No. P.014714 G 11031 R002

Project: CGD Expansion Project

Owner: Central UP Gas Ltd

Sr. No.	Description	Tender Page No.	Clause/ Para/ Section	Amendment/Addition/Modification/Deletion												
3	Delivery Schedule	6 of 78	5.1 of IFB	Modification	Please read the clause as, The supply of coated line pipes shall be completed in lots on FOT CUGL Site / store basis at different locations in Kanpur, Unnao, Bareilly & Jhansi cities in the State of UP. Coated line pipes shall be supplied as per schedule given below,											
					<table><tr><th rowspan="2">Sr. No.</th><th rowspan="2">Description</th><th rowspan="2">Quantity (in Mtrs.)</th><th>Delivery Period for 1st lot - Within 20 weeks on FOT Store / Site basis in Kanpur, Unnao, Bareilly &amp; Jhansi cities from date of LOA</th><th>Delivery Period for subsequent lots - Within 20 weeks on FOT Store / Site basis in Kanpur, Unnao, Bareilly &amp; Jhansi cities from date of intimation from CUGL</th></tr><tr><th>1<sup>st</sup> Lot</th><th>Subsequent Lot (Minimum Qty.)</th></tr></table>					Sr. No.	Description	Quantity (in Mtrs.)	Delivery Period for 1st lot - Within 20 weeks on FOT Store / Site basis in Kanpur, Unnao, Bareilly & Jhansi cities from date of LOA	Delivery Period for subsequent lots - Within 20 weeks on FOT Store / Site basis in Kanpur, Unnao, Bareilly & Jhansi cities from date of intimation from CUGL	1 <sup>st</sup> Lot	Subsequent Lot (Minimum Qty.)
					Sr. No.	Description	Quantity (in Mtrs.)	Delivery Period for 1st lot - Within 20 weeks on FOT Store / Site basis in Kanpur, Unnao, Bareilly & Jhansi cities from date of LOA	Delivery Period for subsequent lots - Within 20 weeks on FOT Store / Site basis in Kanpur, Unnao, Bareilly & Jhansi cities from date of intimation from CUGL							
								1 <sup>st</sup> Lot	Subsequent Lot (Minimum Qty.)							
					Manufacture, Inspection, Testing, Supply, Transportation, Unloading and stacking of following CS Line Pipes confirming to API 5 L grade X-42 PSL -2, ERW/Seamless with 3LPE Coating.											
					1	6" x 6.4 mm Thick	11000	11000	0							
					2	4" x 6.4 mm Thick	35000	20000	5000							

*Survi*

*[Signature]*

<div><div>TRACTEBEL</div><div>ENGIE</div></div>		<div>CORRIGENDUM No. 3</div> <div>SUPPLY OF 3LPE COATED CARBON STEEL LINE PIPE FOR CUGL GA'S IN KANPUR, UNNAO, BARELLY AND JHANSI IN THE STATE OF UTTAR PRADESH</div> <div>(TENDER NO. P.014714 G 11031 R004)</div>			Date: 19.02.2021							
					Tender Document No. P.014714 G 11031 R002							
					Project: CGD Expansion Project							
					Owner: Central UP Gas Ltd							
Sr. No.	Description	Tender Page No.	Clause/ Para/ Section	Amendment/Addition/Modification/Deletion								
4	Bid Evaluation Criteria	6 of 78	6.1 (Technical BEC) of IFB	Modification	<div>Please read the clause as,</div> <div><b>6.1 Technical</b></div> <div>6.1.1 The bidder must be a regular manufacturer of Carbon Steel line pipe having facilities for manufacturing, fabrication, testing and quality assurance conforming to API 5L, for the sizes and the process (ERW / Seamless). The bidder must have valid license to use API 5L monogram on linepipe with product specification level for the proposed pipeline mills for the sizes for which they have quoted.</div> <div>6.1.2 The bidder must have manufactured and supplied carbon steel line pipe as per API 5L in single order for following minimum quantity for hydrocarbon application in last 7 years reckoned from the date of bid submission:</div> <table><tr><th>Size</th><th>Length in Mtrs.</th><th>Grade</th></tr><tr><td>6" or above and thickness 6.4 mm or higher</td><td>23000</td><td>API 5 L grade X-42 or above grade, PSL -2, ERW/Seamless with 3LPE Coated</td></tr></table> <div>..... facility three layers PE external coating for 23000 Mtrs. of 6” or above size and thickness 6.4 mm or higher line pipe in single order and must submit the document confirming the same.</div> <div>b. In case bidder does not qualify at (6.1.3 a) above, the coating work can be outsourced to a coating plant which meets the specified qualification criteria of coating facility indicated at clause 6.1.3 a above. In such case the documents of the outsourced plant confirming the above criteria will have to be submitted.</div> <div>c. In case bidder does not have facility for 3LPE coating at their works and outsourcing the 3LPE coating from any of the coating vender provided they meet the qualification criteria specified for coating works. However, the responsibility of dispatching the bare pipe to coating works and thereafter delivery from coating works to owner site shall be the responsibility of the bidder.(Bare Pipe Manufacturer).</div>		Size	Length in Mtrs.	Grade	6" or above and thickness 6.4 mm or higher	23000	API 5 L grade X-42 or above grade, PSL -2, ERW/Seamless with 3LPE Coated
Size	Length in Mtrs.	Grade										
6" or above and thickness 6.4 mm or higher	23000	API 5 L grade X-42 or above grade, PSL -2, ERW/Seamless with 3LPE Coated										

<div>TRACTEBEL</div> <div>ENGIE</div>		<div>CORRIGENDUM No. 3</div> <div>SUPPLY OF 3LPE COATED CARBON STEEL LINE PIPE FOR CUGL GA'S IN KANPUR, UNNAO, BAREILLY AND JHANSI IN THE STATE OF UTTAR PRADESH</div> <div>(TENDER NO. P.014714 G 11031 R004)</div>			Date: 19.02.2021
					Tender Document No. P.014714 G 11031 R002
					Project: CGD Expansion Project
					Owner: Central UP Gas Ltd
Sr. No.	Description	Tender Page No.	Clause/ Para/ Section	Amendment/Addition/Modification/Deletion	
5	Bid Evaluation Criteria	7 of 78	6.2 (Financial BEC) of IFB	Modification	<div>Please read the clause as,</div> <div><b>6.2 Financial</b></div> <div>6.2.1 Turnover</div> <div>The minimum annual turnover of the bidder as per the audited financial statement during any one of the three preceding financial years shall be Rs. 6.67 Crores.</div> <div>6.2.2 Net worth</div> <div>Net Worth of the bidder should be positive as per audited annual financial statement of the immediate preceding financial year.</div> <div>6.2.3 Working Capital</div> <div>The working capital of the bidder should be minimum Rs. 1.33 Crores as per audited annual financial statement of the immediate preceding financial year.</div> <div>NOTE:</div> <div>&gt; In case, the tenders having the bid closing date up to 31st December of the relevant financial year and audited financial results of the immediate preceding financial year is not available, the bidder has an option to submit the audited financial results of the 3 (three) years immediately prior to that year. Wherever the bid closing date is after 31st December of the relevant financial year, bidder has to compulsorily submit the audited financial results for the immediate 3 (three) preceding financial years.</div> <div>&gt; For the bidders whose financial year is a calendar year, for such bidders the audited financial results for the preceding calendar years shall be applicable.</div> <div>&gt; Bidders must submit documentary evidence such as balance sheet &amp; Profit &amp; Loss A/c Statement for preceding three audited financial years in support of the above. In absence of requisite documents, Purchaser reserves the right to reject the bid without making any reference to the bidder.</div>

Survi

Signature

Sr. No.	Description	Tender Page No.	Clause/ Para/ Section	Amendment/Addition/Modification/Deletion	
6	Repeat Order	24 of 78	35.0 of ITB	Modification	<p>Please read the clause as,</p> <p>PURCHASER reserves the right, within 6 months of order, to place repeat order up to 100% of the total order value without any change in unit price or other terms and conditions.</p>
7	Seller's Scope	46 of 78	2.1 of SCC	Modification	<p>Please read the clause as,</p> <p><b>2.1</b> The Scope includes Manufacture, Inspection, Testing, Supply &amp; Transportation including Insurance, custom clearance if applicable, Unloading &amp; Stacking of CS Line Pipes confirming to API 5 L Grade X-42, PSL - 2, ERW/Seamless with 3LPE Coating – 6" - 11000 meters and 4" - 35000 meters meeting other technical requirements as specified in bid document including preparation and submission of documents (as per MR), getting approvals from Purchaser/ Consultant, Procurement of raw materials, Manufacturing, Testing &amp; Inspection , Packing &amp; Forwarding, Transportation, Unloading and Stacking at CUGL Site / store basis at different locations in Kanpur, Unnao, Bareilly &amp; Jhansi cities in the State of UP as per the tender terms &amp; conditions.</p> <p>Note:</p> <p>1. Bidder must quote for complete quantity of both sizes and scope of work. Bid submitted for part scope shall be considered as non-responsive and liable to be rejected.</p> <p>2. The quantities mentioned above are indicative and are for evaluation purpose only. CUGL reserves the right to change the quantity of any or all items before issue of order.</p> <p>3. Quantity tolerance will be plus zero &amp; minus one length for completing the quantities. Payment will be made for actual quantities supplied. Payment for extra quantities beyond tender quantities will not be made by CUGL.</p>
8	Type and Duration of Contract	47 of 78	3.2 of SCC	Modification	<p>Please read the clause as,</p> <p>The duration of contract shall be one (01) year from the date of issuance of LOA/NOTIFICATION OF AWARD.</p>

*Survi*

*[Signature]*

Sr. No.	Description	Tender Page No.	Clause/ Para/ Section	Amendment/Addition/Modification/Deletion																											
9	Delivery Schedule	47 of 78	4.1 of SCC	Modification	<div>Please read the clause as, The supply of coated line pipes shall be completed in lots on FOT CUGL Site / store basis at different locations in Kanpur, Unnao, Bareilly &amp; Jhansi cities in the State of UP. Coated line pipes shall be supplied as per schedule given below,</div> <table><tr><th rowspan="2">Sr. No.</th><th rowspan="2">Description</th><th rowspan="2">Quantity (in Mtrs.)</th><th>Delivery Period for 1st lot - Within 20 weeks on FOT Store / Site basis in Kanpur, Unnao, Bareilly &amp; Jhansi cities from date of LOA</th><th>Delivery Period for subsequent lots - Within 20 weeks on FOT Store / Site basis in Kanpur, Unnao, Bareilly &amp; Jhansi cities from date of intimation from CUGL</th></tr><tr><th>1<sup>st</sup> Lot</th><th>Subsequent Lot (Minimum Qty.)</th></tr><tr><td colspan="5">Manufacture, Inspection, Testing, Supply, Transportation, Unloading and stacking of following CS Line Pipes confirming to API 5 L grade X-42 PSL -2, ERW/Seamless with 3LPE Coating.</td></tr><tr><td>1</td><td>6" x 6.4 mm Thick</td><td>11000</td><td>11000</td><td>0</td></tr><tr><td>2</td><td>4" x 6.4 mm Thick</td><td>35000</td><td>20000</td><td>5000</td></tr></table>					Sr. No.	Description	Quantity (in Mtrs.)	Delivery Period for 1st lot - Within 20 weeks on FOT Store / Site basis in Kanpur, Unnao, Bareilly & Jhansi cities from date of LOA	Delivery Period for subsequent lots - Within 20 weeks on FOT Store / Site basis in Kanpur, Unnao, Bareilly & Jhansi cities from date of intimation from CUGL	1 <sup>st</sup> Lot	Subsequent Lot (Minimum Qty.)	Manufacture, Inspection, Testing, Supply, Transportation, Unloading and stacking of following CS Line Pipes confirming to API 5 L grade X-42 PSL -2, ERW/Seamless with 3LPE Coating.					1	6" x 6.4 mm Thick	11000	11000	0	2	4" x 6.4 mm Thick	35000	20000	5000
Sr. No.	Description	Quantity (in Mtrs.)	Delivery Period for 1st lot - Within 20 weeks on FOT Store / Site basis in Kanpur, Unnao, Bareilly & Jhansi cities from date of LOA	Delivery Period for subsequent lots - Within 20 weeks on FOT Store / Site basis in Kanpur, Unnao, Bareilly & Jhansi cities from date of intimation from CUGL																											
			1 <sup>st</sup> Lot	Subsequent Lot (Minimum Qty.)																											
Manufacture, Inspection, Testing, Supply, Transportation, Unloading and stacking of following CS Line Pipes confirming to API 5 L grade X-42 PSL -2, ERW/Seamless with 3LPE Coating.																															
1	6" x 6.4 mm Thick	11000	11000	0																											
2	4" x 6.4 mm Thick	35000	20000	5000																											
10	Performance Guarantee	51 of 78	New Clause 21 added in SCC	Addition	<div>Please read the new clause no. 21 as</div> <div>"GCC clause no. 12.1 is modiified as below,</div> <div>Within 21 days after the Seller’s receipt of notification of award of the CONTRACT, the SUPPLIER shall furnish performance guarantee in the form of Bank Guarantee to the OWNER, in the bidding documents, for and amount as per following,</div> <div>The SUPPLIER shall furnish performance guarantee in the form of Bank Guarantee/Demand Draft/ Banker cheque to the OWNER, for an amount equivalent to 3% of the total contract value (exclusive of GST) i.e. Supply &amp; Transportation Charges against the contract.</div> <div>(The validity of BG shall be Rate Contract Issue Date (Start Date of Rate Contract) + Rate contract Period (validity of Rate Contract) + Contractual Delivery Period of material + Contractual Guarantee/warranty period + 3 month)"</div>																										

*Survi*

*[Signature]*

<div><div>TRACTEBEL</div><div>ENGIE</div></div>		CORRIGENDUM No. 3  SUPPLY OF 3LPE COATED CARBON STEEL LINE PIPE FOR CUGL GA'S IN KANPUR, UNNAO, BARELLY AND JHANSI IN THE STATE OF UTTAR PRADESH (TENDER NO. P.014714 G 11031 R004)			Date: 19.02.2021																									
					Tender Document No. P.014714 G 11031 R002																									
					Project: CGD Expansion Project																									
					Owner: Central UP Gas Ltd																									
Sr. No.	Description	Tender Page No.	Clause/ Para/ Section	Amendment/Addition/Modification/Deletion																										
11	Repeat Order	51 of 78	New Clause 22 added in SCC	Addition	Please read the new clause no. 22 as,  " GCC clause no. 40 is modified as below,  Prices and discounts, if any and other terms & conditions shall also remain valid up to 6 months from the date of placement of notification of award (Fax of Intent) for the purpose of placement of repeat order up to 100% ordered values.																									
12	Schedule of Rates	78 of 78	Schedule of Rates (SOR)	Modification	Please note that Schedule of Rates (SOR) has been modified. Revised Schedule of Rates (SOR) is attached with Corrigendum as Annexure A. Bidders to quote prices in attached "Revised Schedule of Rates"																									
Volume II of II																														
13	Material Requisition	5 of 163	Material Description	Modification	Please read the Table as, <table><tr><th rowspan="2">Item no.</th><th colspan="2">Size</th><th rowspan="2">Type of Pipe</th><th rowspan="2">Pipe Grade</th><th rowspan="2">Quantity (M)</th><th>Requirement of Coating</th></tr><tr><th>Specified Outside diameter, Inch (mm)</th><th>Wall thicknes s (mm)</th><th>External</th></tr><tr><td>1.</td><td>6" (168.3 mm)</td><td>6.4</td><td>HFW / SMLS</td><td>API 5L X42 PSL 2</td><td>11,000</td><td>3LPE</td></tr><tr><td>2.</td><td>4" (114.3 mm)</td><td>6.4</td><td>HFW / SMLS</td><td>API 5L X42 PSL 2</td><td>35,000</td><td>3LPE</td></tr></table>		Item no.	Size		Type of Pipe	Pipe Grade	Quantity (M)	Requirement of Coating	Specified Outside diameter, Inch (mm)	Wall thicknes s (mm)	External	1.	6" (168.3 mm)	6.4	HFW / SMLS	API 5L X42 PSL 2	11,000	3LPE	2.	4" (114.3 mm)	6.4	HFW / SMLS	API 5L X42 PSL 2	35,000	3LPE
Item no.	Size		Type of Pipe	Pipe Grade	Quantity (M)	Requirement of Coating																								
	Specified Outside diameter, Inch (mm)	Wall thicknes s (mm)				External																								
1.	6" (168.3 mm)	6.4	HFW / SMLS	API 5L X42 PSL 2	11,000	3LPE																								
2.	4" (114.3 mm)	6.4	HFW / SMLS	API 5L X42 PSL 2	35,000	3LPE																								

Survi

Signature


Sr. No.	Description	Tender Page No.	Clause/ Para/ Section	Amendment/Addition/Modification/Deletion																												
14	PTS - Line Pipes (HFW)	13 of 163	2.0 of PTS (HFW) Properties Of The Pipes	Modification	Please read the Table as, <div>Table: 1</div> <table><tr><th>Sr. No.</th><th>Outside Dia. (Inch)</th><th>Material Grade as per API 5L, PSL 2</th><th>Minimum Wall thickness (mm)</th><th>Quantity (M)</th></tr><tr><td>1.</td><td>6</td><td>X 42M</td><td>6.4</td><td>As per MR</td></tr><tr><td>2.</td><td>4</td><td>X 42M</td><td>6.4</td><td>As per MR</td></tr></table>							Sr. No.	Outside Dia. (Inch)	Material Grade as per API 5L, PSL 2	Minimum Wall thickness (mm)	Quantity (M)	1.	6	X 42M	6.4	As per MR	2.	4	X 42M	6.4	As per MR						
Sr. No.	Outside Dia. (Inch)	Material Grade as per API 5L, PSL 2	Minimum Wall thickness (mm)	Quantity (M)																												
1.	6	X 42M	6.4	As per MR																												
2.	4	X 42M	6.4	As per MR																												
15	PTS - Line Pipes (HFW)	15 of 163	6.0 of PTS (HFW) Pipe Grade, Steel Grade and Delivery Condition	Modification	Please read the Table as, The minimum required mechanical properties of the delivered steel shall be as given below: <table><tr><th>SL No.</th><th>Outside Dia. Inch (mm)</th><th>Material Grade as per API 5L, PSL 2</th><th>Min. Yield Strength (*)</th><th>Max. Yield Strength</th><th>Min. Ultimate Tensile Strength (*)</th><th>Max. Ultimate Tensile Strength (*)</th></tr><tr><td>1.</td><td>6” (168.3 mm)</td><td>API 5L X-42M</td><td>290 MPa</td><td>495 MPa</td><td>415 MPa</td><td>655 MPa</td></tr><tr><td>2.</td><td>4” (114.3 mm)</td><td>API 5L X-42M</td><td>290 MPa</td><td>495 MPa</td><td>415 MPa</td><td>655 MPa</td></tr></table> (*): Values indicated for yield strength and ultimate tensile strength are minimum. Due attention shall be paid to the mandatory additional clause as per GTS - Clause 9.3.2 relating to ratio between both values.							SL No.	Outside Dia. Inch (mm)	Material Grade as per API 5L, PSL 2	Min. Yield Strength (*)	Max. Yield Strength	Min. Ultimate Tensile Strength (*)	Max. Ultimate Tensile Strength (*)	1.	6” (168.3 mm)	API 5L X-42M	290 MPa	495 MPa	415 MPa	655 MPa	2.	4” (114.3 mm)	API 5L X-42M	290 MPa	495 MPa	415 MPa	655 MPa
SL No.	Outside Dia. Inch (mm)	Material Grade as per API 5L, PSL 2	Min. Yield Strength (*)	Max. Yield Strength	Min. Ultimate Tensile Strength (*)	Max. Ultimate Tensile Strength (*)																										
1.	6” (168.3 mm)	API 5L X-42M	290 MPa	495 MPa	415 MPa	655 MPa																										
2.	4” (114.3 mm)	API 5L X-42M	290 MPa	495 MPa	415 MPa	655 MPa																										
16	PTS - 3LPE External Coating	68 of 163	1.0 of PTS (3LPE External Coating) General	Modification	Please read the Table as, <table><tr><th>SL No</th><th>Line size (inch)</th><th>Type of pipes</th><th>Thickness of Line Pipe</th><th>Approx. Length in Meters</th><th>External Coating</th></tr><tr><td>1</td><td>6” (168.3 mm) 3LPE Coating</td><td>SMLS / HFW</td><td>6.4</td><td>As per MR</td><td>√</td></tr><tr><td>2</td><td>4” (114.3 mm) 3LPE Coating</td><td>SMLS / HFW</td><td>6.4</td><td>As per MR</td><td>√</td></tr></table>							SL No	Line size (inch)	Type of pipes	Thickness of Line Pipe	Approx. Length in Meters	External Coating	1	6” (168.3 mm) 3LPE Coating	SMLS / HFW	6.4	As per MR	√	2	4” (114.3 mm) 3LPE Coating	SMLS / HFW	6.4	As per MR	√			
SL No	Line size (inch)	Type of pipes	Thickness of Line Pipe	Approx. Length in Meters	External Coating																											
1	6” (168.3 mm) 3LPE Coating	SMLS / HFW	6.4	As per MR	√																											
2	4” (114.3 mm) 3LPE Coating	SMLS / HFW	6.4	As per MR	√																											

Note:

1. All other terms &amp; conditions of tender document remain unaltered.

2. Bidders are requested to visit CUGL / Tractebel website regularly for further announcement .

*Survi*


		<div>REVISED SCHEDULE OF RATES FOR SUPPLY OF 3LPE COATED LINE PIPES IN KANPUR, UNNAO, BAREILLY &amp; JHANSI IN THE STATE OF UP</div>										P.014714 G11031 R004	
PURCHASER : CENTRAL UP GAS LIMITED (CUGL)													
PROJECT : CITY GAS DISTRIBUTION PROJECT IN KANPUR, UNNAO, BAREILLY & JHANSI													
BID DOCUMENT NO. : P.014714 G11031 R004													
NAME OF BIDDER :													
CURRENCY : INR													
Item Sr. No.	Brief Description	Unit	Qty	Basic Unit Rate Ex-Works basis	GST on Column 2			Unit Transportation Charges	GST On Column 4			Unit Price including Transportation Charges on FOT -CUGL store / site ( Kanpur, Unnao, Bareilly & Jhansi) inclusive of all applicable taxes (2+3+4+5)	Total Price including Transportation Charges on FOT -CUGL store / site ( Kanpur, Unnao, Bareilly & Jhansi) inclusive of all applicable tax (1) * (6)
				Amount	HSN Code	%	Amount	Amount	SAC Code	%	Amount	Amount	Amount
			1	2		3	4		5	6	7		
A	SUPPLY Manufacture, Inspection, Testing & Supply of following CS Line Pipes confirming to API 5 L grade X-42 PSL -2, ERW/Seamless with 3LPE Coating, Scope also includes Transportation of Line Pipes from bidder's works to respective location including Freight Charges, insurance, handling, unloading, stacking and any other incidental expenses for delivery at Client's store /site located in Kanpur, Unnao, Bareilly & Jhansi cities in the State of UP												
1.0	6" x 6.4 mm Thick	MTRS.	11000										
2.0	4" x 6.4 mm Thick	MTRS.	35000										
Note:													
1	Scope of Work and other terms and conditions are strictly as per bid document.												
2	Bidder to clearly indicate 'Quoted' / 'Not Quoted' against each Sr. No. in the price column in the un-priced Schedule of Rates and submit the same in Un-priced part of the bid. Bidder to submit Price part of above Schedule of Rates in their Priced Bid. All column of price schedule must be filled with required information as applicable.												
3	Bidder must quote the price in Schedule of Rates format only. Bid submitted with changed format / description is liable to be rejected.												
4	All the Columns of quoted items in the Schedule of Rates must be filled with required information, as applicable.												
5	Quoted rates are firm and fixed till complete execution of the entire order except as defined in bid document.												
6	Purchaser reserves the right to decrease/ increase the Scope of Work as per provision of Bid document before & after award of contract.												
7	Above quoted prices for supply of Line Pipes on FOT Purchaser site at Kanpur, Unnao, Bareilly & Jhansi, shall be inclusive of all & nothing shall be paid extra by purchaser.												
8	Bidder must quote for complete scope as detailed in the bid document, bids submitted for part scope shall be considered as non-responsive and liable to be rejected.												
9	Bidder must indicate HSN / SAC Code & percentage of GST against each SOR line item.												
Seal & Signature of Bidder													